



**In the United States Patent and Trademark Office**

Serial Number: 10/603,267  
Appn. Filed: 23 June, 2003  
Applicant: Kollar, Fredrick Phillip  
Appn. Title: Sprinkler Spray Shield  
Examiner/GAU: Seth Barney/3752

Mailed: 11 October, 2005  
At: Laguna Hills, CA.

**Submission of Corrected Drawings**

Commissioner for Patents  
Washington, District of Columbia 20231  
Attn: Chief Draftsperson

Sir:

New drawing sheets ( Pgs. 1 – 4 incl. Figs. 1 - 12) for the above application are enclosed, corrected as necessary. Please substitute these for the corresponding sheets on file.

Very respectfully,

Fredrick P. Kollar

38 Oxbow Creek Ln.  
Laguna Hills, CA. 92653  
Tel. (949) 855-4964

**Certificate Of Mailing:** I certify that on the date below this document and referenced attachments, if any, will be deposited with the U.S. Postal Service as first class mail in an envelope addressed to:  
U.S. DEPARTMENT OF COMMERCE, COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA,  
VA. 22313-1450

11 October, 2005

Fredrick P. Kollar, Applicant



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/603,267	06/23/2003	Fredrick Phillip Kollar	Kollar - Tunaman	7163

7590 01/10/2006

Fredrick Phillip Kollar  
38 Oxbow Creek Lane  
Laguna Hills, CA 92653

EXAMINER

BARNEY, SETH E

ART UNIT	PAPER NUMBER
----------	--------------

3752

DATE MAILED: 01/10/2006



Please find below and/or attached an Office communication concerning this application or proceeding.